D.DORNBLÜTH & SOHN Kalbe <sup>i</sup>/S.A.

# CONTACT

WatchBuys Dornblueth & Sohn North America

888-333-4895 www.watchbuys.com





MADE IN

D.DORNBLÜTH & SOH Kalbe <sup>j</sup>/S.A.


## A tradition of precision and innovation: 25 years of manufactory

The history of the Dornblüth manufactory began in 1962, when Dieter Dornblüth opened his small watch workshop. With a passionate pursuit of precision and craftsmanship excellence, he laid the foundations for a manufactory that today stands for luxurious timepieces.


In 1983, his son Dirk Dornblüth joined the company, bringing with him a breath of fresh air and new ideas. Seven years later, in 1992, Dirk became a master watchmaker - a decisive milestone on his way to continuing his father's vision.

This was followed in 1997 by the manufacture's first patent, which emphasised the innovative and technical sophistication of the brand. When father Dornblüth celebrated his 60th birthday in 1999, his son Dirk, presented him with a stainless-steel wristwatch of his own design, the basic movement of which was based on the legendary Glashütte Calibre 60.3.


Today, after 25 years, Dornblüth is synonymous with exclusive,



# Realisation of the old patent from 1997.



# An idea that matures over years.






The newly developed movement under the realisation of the 1997 patent is a hand-wound chronograph with a 30-minute counter and a fly-back function. The movement has rhodium-plated grained bridges and cocks with yellow gold-plated hand engraving of the company name and movement number as standard.

### Limited edition

This exclusive model is limited to 62 pieces - a tribute to the founding of the manufactory by Dieter Dornblüh in 1962.

Now, 62 years later, this limited edition epitomises the timeless combination of tradition and innovation. Each piece embodies the craftsmanship and passion that have been cultivated in the manufactory for decades.









#### Movement

Ø 32 mm • Height 6,2 mm • 22 Rubies • 2 ball bearings • power reserve of 48 hours (+/- 10%) • 18.000 semi-oscillations per hour • classic escapement with polished escape and escape wheel • lever escapement • extra-large Glucydur screw balance with Nivarox 1 Breguet balance spring • swan-neck fine adjustment on hand-engraved balance cock • flat-polished screws, flame-blued with broken edges • second stop

#### Case

polished / satinised, screw-down • Ø 40 mm • Height 12 mm • 1.0 mm thick sapphire front glass, slightly domed and anti-reflective • screw-down sapphire crystal case back • large winding crown with raised company lettering • screw-down band bars polished / satinised made of solid nickel-free stainless steel

Central display of hour, minute, second and stop-second . Power reserve indicator at 9 o'clock • Engraved silver-plated brass dial • Engraving technique in the tradition of old precision pendulum watches • Engraving finished in black • optionally also available as a polished, engraved 3-part enamel dial

### Hands

Steel, polished by hand and heat blued

